



REVISION		DATE	APPROVED
ZONE	LTR	DESCRIPTION	
B		CHANGE PER DCO 01075	1/24/80 <i>J. Dan</i>



NOTES :

- MATERIALS:
 - I-A INSULATION SLEEVE; HEAT SHRINKABLE, RADIATION CROSSLINKED MODIFIED POLYVINYLIDENE FLUORIDE, TRANSPARENT BLUE.
 - I-B SOLDER PREFORM; SOLDER PREFORM WITH FLUX TYPE: Sb5 SRAP PER QQ-S-571.
 - I-C MELTABLE INSERTS; LOW OUTGASSING IMMERSION RESISTANT THERMOPLASTIC
 - I-D CARRIER STRIP; ADHESIVE COATED HIGH TEMPERATURE TAPE.
- A CTA-0026 ASSEMBLY CONSISTS OF 10 EACH CTA-0025 SOLDER SLEEVE WIRE TERMINATORS.
- THESE SLEEVES ARE DESIGNED TO ATTACH "20 THROUGH "26 GAGE TIN PLATED OR SILVER PLATED CONDUCTORS TO TERMINALS OF A **Raychem** MTC100 SERIES WAFER.

© Raychem Corporation 1979

CONNECTOR SPECIFICATION CONTROL DRAWING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES BRACKETED DIMENSIONS () ARE METRIC AND TOLERANCES ARE: .XXX: ± (M. M.) .XX: ± (M. M.) Δ: ±	DRAWN	SA. LOPEZ	5/19/79	Raychem <small>RAYCHEM CORPORATION 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025</small>
	CHECKED	<i>RAY</i>		
	APPROVED	<i>RAY</i>	5/31/79	TITLE SOLDER PAK ASSEMBLY, DOUBLE MELTABLE INSERT - 10 SLEEVES TEMP RATING 150°C(Sb5) MTC100 SERIES
	APPROVED	<i>E. Stead</i>	6/5/79	
	APPROVED	<i>HO</i>	6/11/79	SIZE B CODE IDENT NO. 06090 DWG. NO. CTA-0026
DO NOT SCALE THIS DRAWING	PROJECT	6448 - 7055		WEIGHT SHEET 1 OF 1

If this document is printed it becomes uncontrolled.
Check with the web for latest revision.